KADUR FOREST DIVISION.

Abstract Notification dated 19th October 1937.

—The attention of the public is invited to the detailed notification, dated 19th October 1937, regarding the sale of timber in the following place, published on pages 1819-1820, Part VI of the *Mysore Gazette*, dated 4th November 1937.

Name of Forest	Other kinds		Nandi		Mathi		Remarks
	No.	C.ft.	No.	C.ft.	No.	C.ft.	
Sargode State Forest Coupe, No I of 29-30.	24	306	2	27	27	370	More or less

N.B.—Place of Sale—Mudigere Range Office. Date of Sale—30th November 1937.

M. A. MUTHANNA,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification dated 25th October 1937.

The attention of the public is invited to the notification dated 21st October 1937, calling for tenders for the work of constructing silk pattern drains in Jagalur Town, Chitaldrug District, published in page 1793, Part VI of the *Mysore Gazette*, dated 28th October 1937.

The last date of receiving tenders is fixed on 15th November 1937.

N. KRISHNA IYENGAR,
Sanitary Engineer.

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 1st November 1937.

The attention of the public is hereby invited to the notification, calling for tenders for running a Hindu Restaurant in District Office Tiffin Rooms, Bangalore, published in the *Mysore Gazette*, dated 4th November 1937, Part VI, pages 1862-1863.

B. R. GARUDACHAR,
Executive Engineer.

KOLAR DIVISION.

Notification dated 29th October 1937.

1. Sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 12 NOON on 25th November 1937, for restoring Nagapur Tank (Minor) Register No. 281 of Malur Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for Nagapur Tank (Minor) Register No. 281 of Malur Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a treasury chellan for earnest money of Rs. 250 paid to the treasury to the credit of 17 (a) Public Works Deposit against the account of the Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 27th November 1937 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever, for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office, in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contract form for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931) and furnish a security deposit of Rs. 500.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Kolar Division, on all working days, between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of June 1938 failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(a) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish; superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary, with his own pumping apparatus including necessary leading drains, slump pits, etc.
(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Abstract estimate for restoring Nagapur Tank (Minor) Register No. 281 of Malur Taluk, Kolar District.

No.	Items of work	Unit	Rate	Quantity	Cost
	BUND.		Rs. a. p.		Rs.
1	Clearing Jungle including removal of roots	Grades	2 0 0	13	
2	Cuting grips and trenches in bund	„	2 0 0	13	
3	Earthwork to bund with consolidation	C.yd.	0 4 0	3,717	
4	Earthwork to breached portions	„	0 5 0	340	
5	Turfing the slopes	S.yd.	0 1 0	3,866	
6	Removing and resetting old stone revetment with new jelly	C.yd.	0 8 0	547	
7	New stone revetment	„	1 8 0	1,020	
8	Providing and fixing new grade stones including figuring and painting	No.	1 8 0	14	
9	Do Index stones	„	0 6 0	14	
10	Do Register No. stones	„	3 0 0	1	
11	Do Bench mark stones	„	2 8 0	2	
12	Do Gauge stones	„	15 0 0	1	
13	Providing jelly drain to breached portion in burnt stone and surki mortar	Lump	Sum Rupees.		
14	Constructing a core wall in the breached portion with burnt stone in surki mortar	C.ft.	0 5 0	300	
	Total Rupees for bund				
	SLUICE.				
1	Cut opening the bund and examining the leak and refilling the same, watering and tamping after repairing the tunnel and providing new locking arrangements	Lump	Sum Rupees.		
	WASTE WEIR R. L. 50·00 AND 60 FEET LONG.				
1	Cement painting to top of body wall	Sqr.	4 0 0	0·75	
2	Removing and resetting the apron with new jelly	C.yd.	0 8 0	94	
3	Excavating foundation for right return	C.yd.	0 3 0	2	
4	Concrete in surki mortar	C.ft.	0 4 0	16	
5	Burnt stone in surki mortar	C.ft.	0 5 0	45	
6	Burnt stone slabs 6" thick	S.ft.	0 5 0	9	
7	Plastering with cement mortar	Sqr.	4 0 0	1·08	
8	Extending the apron beyond Toe wall	C.yd.	0 4 0	9	
9	Rough stone work new for apron	C.yd.	1 12 0	44	
10	Left side return dismantling the existing masonry	C.ft.	0 1 0	27	
11	Excavation for foundation	C.yd.	0 3 0	2	
12	Concrete in surki mortar	C.ft.	0 4 0	20	
13	Burnt size stone in surki mortar	„	0 5 0	74	
14	Burnt stone slabs 6" thick	S.ft.	0 5 0	7	
15	Rearing old stone slabs in surki mortar	„	0 2 0	4	
16	Pointing with cement mortar	Sqr.	4 0 0	0·79	
	Total Rupees for Waste Weir				

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
	WASTE WEIR LEFT 80' LONG AT R. L. 50·00				
1	Benching hard rock 6" deep	S.ft.	0 8 0	186	
2	Burnt size stone in surki mortar	C.ft.	0 5 0	621	
3	Burnt stone slabs 6" thick	S.ft.	0 5 0	195	
4	Jaggle joints 8 feet intervals	No.	0 12 0	11	
5	Cement mortar pointing	Syd.	4 0 0	6·80	
	Total Rupees for left Waste Weir.				

R. TIPPAIYA,
Executive Engineer.

MYSORE DIVISION.

Dated 29th October 1937.

Regarding the construction of a Girder Bridge with well curbs foundations, piers and abutments across river Shimsha at Halagur, 2/55, of Bangalore-Mysore Road, via., Kankanhalli, published on pages 1725-27, *Part* VI *of the* Mysore Gazette, *dated* 21*st October* 1937.

CORRECTION IN ITEM 2.

2. Erecting cement concrete curbs 1: 2 : 4, 5'–0" external diameter 4'–6" internal and 3" thick, $1\frac{1}{2}$' high each inlcuding necessary reinforcements cast in site including frame work and fixing charges, etc., complete.

Notice dated 26th October 1937.

Sealed tenders will be received at the office of the Executive Engineer, Mysore Division, up to 12 NOON on 4th December 1937, for restoring Erubanahalli Ayyanakere, Nagamangala Taluk.

2. Tenders in the prescribed form obtainable from the office of the Executive Engineer, Mysore Division, should be addressed to the Executive Engineer, Mysore Division, in a sealed cover and superscribed as "Tender for restoring Erubanahalli Ayyanakere." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a deposit of Rs. 400 (Rupees four hundred only) deposited in Government Treasury under 17 (*a*) Public Works Deposits or in Promissory Notes, or Mysore Government Bonds duly endorsed at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 4th December 1937 at 2 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay specifications (1931).

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force, will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Mysore, on all working days, between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rupees.....

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power of attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer, on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of December 1938, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 50 (fifty) per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the Departmental Officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery, that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(A) The contractor should at his own cost :—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering labour and appliances for hoisting.
(3) Provide mortar mills, and sheds to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus, including necessary leading drains, slump pits, etc.
(9) Afford facilities to any other parties employed upon the work by the P. W. D.; so that their work may proceed during the progress of the contract and give such persons the use of ordinary scaffolding and ladders.
(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by Insurance at the proper time.

Note.—(B) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

Abstract estimate for Restoring Erubanahalli Ayyankere, Nagamangala Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
	BUND.		Rs. a. p.		Rs.
1	Jungle clearing	Grade	3 0 0	12	36
2	Removing ant hills, cutting trees including removal of roots, etc.		As per details during execution and schedule rates.		
3	Cutting steps, grips, etc., four rows	"	2 0 0	12	24
4	Excavating trench in the centre of old bund for puddle wall and jointing the old and new to prevent leaks, etc.	C.yd.	0 2 6	220	36
5	Puddle wall for the excavated trench with ⅙ gravel with watering and consolidating, etc., complete	"	0 6 0	297	111
6	Earth work to bund with watering and consolidation, etc.	"	0 4 0	4,986	1,247
	(a) Consolidation charges for item No. 4	"	0 2 0	220	28
7	Removing the old stone revetment and rebuilding the same in the weir and the sluice site, etc.	C.yd.	0 12 0	161	121
8	Turfing the front and rear slopes	Sqr.	0 10 0	826	516
9	Providing and fixing grade stones in concrete including cutting figures, painting, etc., complete	No.	2 8 0	13	35
10	Providing and fixing Index stones in concrete including cut to shape, etc., complete	Each	0 8 0	13	7
11	Do do B.M. stones	"	2 8 0	2	5
12	Do do guage stone including cutting figures and painting, etc., complete	"	12 0 0	1	12
13	Do do Register No. and Date stone	"	5 0 0	1	5
14	Masonry works to fill up the halla portion :—				
	(a) Earthwork excavation on all soils	C.yd.	0 6 0	53	20
	(b) Burnt stone jelly concrete in cement mortar 1 : 5 : 10 (1½ lime : 1 Surki : 2 sand)	C.ft.	0 4 0	350	88
	(c) Size stone in cement mortar, 1 : 6	"	0 5 0	2,338	730
	(d) Cement pointing, 1 : 3	Sqr.	4 0 0	8·80	35
	(e) Cement concrete slab 3" thick for coping 1 : 4 : 8	C.ft.	0 14 0	23	20
	SLUICE AT R. L. 53·00.				
1	Earthwork excavation cutting open the bund	C.yd.	0 3 0	22	4
2	Refilling the same with consolidation	"	0 2 6	22	4
3	Burnt stone jelly concrete in cement mortar (1½ lime : 1 surki : 2 sand)	C.ft.	0 4 0	302	76
4	Size stone in cement mortar 1 : 6	"	0 5 0	245	77
5	Burnt stone slab 6" thick dressed and fixed in cement mortar, 1 : 6	S.ft.	0 8 0	20	10
6	Cutting circular holes in slabs	Each	0 12 0	4	3
7	Fixing and preparing cement concrete slabs 3" thick, 1 : 4 : 8	C.ft.	0 14 0	31	27
8	Pointing with cement mortar, 1 : 4	Sqr.	2 12 0	2·00	6
9	Providing and fixing wooden plug with iron rod and locking arrangements, etc., complete	Lump Sum			20
10	Providing and fixing cast iron pipes 6" diameter 24 feet long, including jointing with cement and hemp rope	R.ft.	Fixing charges only		
	WASTE WEIR R. L. 59·00.				
1	Earthwork excavating foundation in all soil	C.yd.	0 6 0	36	14
2	Burnt stone jelly concrete in cement mortar 1 : 5 : 10	C.ft.	0 4 0	158	40

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
3	Size stone in cement mortar, 1 : 6	C.ft.	0 5 0	448	140
4	Cement concrete slab over body wall for coping 1 : 4 : 8	„	0 14 0	50	44
5	Rough stone apron with jelly wedging	C.yd.	1 6 0	25	35
6	Cement pointing to faces of body wall 1: 3	Sqr.	4 0 0	2·00	8
7	Draft and approach clearance	C.yd.	0 3 0	222	42
8	(*a*) Consolidation charges for excavated earth-work to flank bund	„	0 2 0	127	16
	(*b*) Rough stone work new	„	1 6 0	11	15
	(*c*) Turfing slopes of flank bund	Lump	Sum.		5

B. KRISHNA RAO,
Executive Engineer.

OFFICE OF THE ASSISTANT ENGINEER, HEADQUARTER RANGE, MYSORE.

Abstract Notification dated 23rd October 1937.

"The attention of the public is invited to the *Gazette Notification*, dated 28th October 1937, Part VI, pages 1794-1797, calling for tenders for the construction of rearing Rooms Block of the Silk Filature Buildings, Mysore. The earnest money for receiving tenders is Rs. 750.

The last date for receiving is 15th November 1937."

In paras 1 and 2 of the notification dated the 22nd October 1937 please *read* "*for* constructing rearing rooms block of the silk farm buildings, Mysore" instead of "for constructing rearing rooms block of silk filature buildings, Mysore." In para 3 please omit the words beginning from "Or" in line one to end of the word "Value" in line three.

M. A. RAMANUJAM,
Assistant Engineer.

MEDICAL DEPARTMENT

VICTORIA, MINTO AND VANI VILAS HOSPITALS, BANGALORE.

Abstract Notification.

Sealed tenders for the supply of bedding and clothing to the Minto Ophthalmic Hospital, Bangalore, during the year 1937-38 will be received by the Secretary, Victoria, Minto and Vani Vilas Hospitals at his Office (Victoria Hospital), on Tuesday the 30th November 1937 at 11 A.M. For full particulars please see pages 1797-1799, Part VI of the *Mysore Gazette*, dated 28th October 1937.

Notice, dated 1st November 1937.

Public are hereby informed that the Oliver Type Writer No. 9, belonging to the Vani Vilas Hospital, Bangalore, in good working order with Cover and Base Board will be auctioned in the above Hospital on Monday the 29th November 1937 at 5 P.M. by the undersigned. The intending bidders are requested to be present at the appointed time and the article will be knocked down to the highest bidder who will have to pay the amount on the spot and clear the article failing which, it will be reauctioned at his risk.

H. N. PALLEGAR,
Secretary.

KRISHNARAJENDRA HOSPITAL, MYSORE.

Abstract Tender Notification

Sealed tenders in quadruplicate, will be receivd by the Medical Officer, Krishnarajendra Hospital, Mysore, at 11 A.M. on Tuesday the 30th November 1937, for the supply of the diet articles, etc., required from 1st January to 31st December 1938 (inclusive).

For other particulars *vide Mysore Gazette*, dated 4th November 1937, Part VI, pages 1823-1826.

D. S. PUTTANNA,
Medical Officer.

McGANN HOSPITAL, SHIMOGA.

Abstract Notification dated 6th November 1937.

The attention of the public is invited to the detailed Notification, calling for tenders for the supply of diet articles, etc., required for the McGann Hospital, Shimoga, including Maternity for the year 1938, published in pages 1799-1801 of Part VI of the *Mysore Gazette*, dated 28th October 1937.

V. V. MONTEIRO,
District Medical Officer.